



Assessment Tool Catalog

Assessment Tool	Description	Ownership
Mental Health		
Aberrant Behavior Checklist (ABC)	Rates "inappropriate and maladaptive behavior of mentally retarded individuals in residential and community settings, and developmental centers."	Third Party
Abnormal Involuntary Movement Scale (AIMS)	Assesses abnormal involuntary movements associated with antipsychotic drugs, such as tardive dystonia and chronic akathisia, as well as 'spontaneous' motor disturbance related to the illness itself.	Third Party
Assertive Community Treatment (ACT)	An assessment that compiles Housing Status, Employment Status, Substance Abuse, Hospitalization, ER Visits, Case Disposition and Outgoing Referrals to track outcomes for ACT clients.	Third Party
Barnes Akathisia Rating Scale (BARS)	A rating scale to assess the severity of drug-induced akathisia. Includes both objective and subjective items such as the level of the patient's restlessness.	Third Party
Behaviour and Symptom Identification Scale (BASIS-32)	Brief but comprehensive mental health status measure. It can also be used for outcome measurement as a pre and post test It helps to assess the following categories of strengths and needs: Medical/Psychiatric, Emotional/Behavioural, Recovery Environment, Barriers/Resources.	H.I. Next, Inc.
Brief Psychiatric Rating Scale - Anchored (BPRS-A)	Measures positive symptoms, general psychopathology and affective symptoms.	Third Party
CAGE-AID Questionnaire	The CAGE-AID is a conjoint questionnaire where the focus of each item of the CAGE questionnaire was expanded from alcohol alone to include alcohol and other drugs.	Third Party
Calgary Depression Scale for Schizophrenia	Scale specifically developed for assessment of depression in patients with schizophrenia.	Third Party
CASES - Before Treatment	Determines any physical symptoms usually associated with psychotropic medications that might exist prior to treatment	Third Party
CASES – During or After Treatment	Determines treatment-emergent side effects	Third Party

Assessment Tool	Description	Ownership
Clinical Diagnostic Checklist for Physicians	Aids clinicians in reporting the presence, absence or sub threshold of psychiatric disorders.	Third Party
Clinical Global Impression	Three-item scale used to assess treatment response in psychiatric patients.	Third Party
Common Assessment of Need - New York Version (NY-CAN)	A standardized, consumer-led, decision-making tool that assists with mental health recovery. It identifies individual needs, helps match those needs to existing services and helps identify service gaps. Compatible with Reporting for OCAN.	H.I. Next, Inc./ Public Domain
Community Treatment Plan (CTP)	Planning tool for outlining the aspects of a client's treatment and care for community based services and living.	Third Party
Concurrent Disorder Screener	This tool is used to screen clients for a number of addictions and psychiatric disorders	Third Party
Confusion Assessment Method (CAM)	Two-part assessment, first part screens for overall cognitive impairment. Part two includes only those four features that were found to have the greatest ability to distinguish delirium or reversible confusion from other types of cognitive impairment.	Public Domain
Cornell Scale for Depression in Dementia	The purpose of the scale is to screen for symptoms of depression in someone who has dementia.	Public Domain
Dual Diagnosis - Griffin Management Tool (DDRS - GCSN)	Collects detailed information regarding referral, services requested, diagnoses, services received, discharge information, and post assessment / discharge diagnoses.	Third Party
Dynamic Appraisal of Situational Aggression (DASA)	A structured risk assessment instrument for use on psychiatric inpatients. Comprised of 7 items used to assess risk of imminent aggression - negative attitudes, impulsivity, irritability, verbal threats, sensitive to perceived provocation, easily angered when requests are denied, and unwillingness to follow directions.	Third Party
Food Safety Questionnaire (FSQ)	A two-item food security questionnaire for use in a clinical setting to screen HIV-1 infected patients for food insecurity.	Third Party
Frontal Assessment Batter at the Bedside (FAB)	FAB is a brief tool that can be used at the bedside or in a clinic setting to assist in discriminating between dementias with a frontal dysexecutive phenotype and Dementia of Alzheimer's Type (DAT).	Third Party
General Anxiety Questionnaire 2-Item Scale (GAD-2)	A short screening tool consisting of the first two questions of the GAD-7 scale.	Third Party
General Anxiety Disorder 7-Item Scale (GAD-7)	A self-reported/administered scale measure of symptoms of anxiety, based on diagnostic criteria described in DSM-IV.	Third Party

Assessment Tool	Description	Ownership
General Health Questionnaire (GHQ-30)	A 30-question screening assessment used to identify minor psychiatric disorders.	Third Party
Personal Health Questionnaire - 2 (PHQ-2)	Two question screener to determine if a PHQ-9 assessment is warranted.	Public domain
General Mental Health Assessment	General Mental Health Assessment to quickly identify problem areas that warrant follow up.	Third Party
Geriatric Depression Scale (GDS) Short Form	This scale was developed as a basic screening measure for depression in older adults.	Public Domain
Global Appraisal of Individual Needs - Short Screener (GAIN-SS)	The GAIN Short Screener is made up of 20 items (four five-item subscales). The tool is part of the Global Appraisal of Individual Needs (GAIN) family of screening and assessment measures. The GAIN-SS subscales identify: internalizing disorders, externalizing disorders, substance use disorders, crime/violence.	Third Party
Global Assessment of Functioning (GAF)	Assesses client's level of normal daily functioning in society.	Public domain
Hamilton Depression Scale (HAMD-29)	Assesses depression in individuals.	Third Party
(Historical, Clinical, Risk Management) HCR-20 Risk Assessment Tool	A violence risk assessment, based on 10 Historical factors, 5 Clinical items, and 5 Risk Management items - designed to align risk markers according to past, current, and future risk markers, respectively.	Third Party
Illinois Minimum Data Set for Mental Health (MDS-MH)	Developed to serve as a comprehensive assessment instrument for adults in inpatient mental health beds including acute, forensic, long stay and geriatric psychiatry.	Third Party
Initial History Form (IHF Tool)	An intake data collection tool for clients with a dual diagnosis. It collects contact, referral, life events and adaptive functioning information, medical, family, psychiatric and social history, education and vocation information, as well as other intake information.	Third Party
Joint K-SADS and HAMD (Joint Questionnaire KSADS Depression Section & HAMD)	Concurrently evaluates the depression sub-section from the KSADS and the full HAM-D	Third Party
KSADS-PL Tool (Summary Lifetime Diagnosis Checklist)	Diagnostic tool for children and adolescents	Third Party
Level of Function Scale (LOS tool)	Assesses level of function in seven domains (social function, occupational function, independent living, symptom severity,	Third Party

Assessment Tool	Description	Ownership
	fullness of life, extent of psychiatric hospitalization, and overall level of function).	
Mental Health Inpatient Care Survey (MH-IP)	Collects information regarding client's stay at a facility: basic background info, rating service & staff, involvement in treatment, feedback about unit and perceived outcomes.	Third Party
Mental Health Outpatient Care Survey (MH-OP)	Collects information regarding client's experience at a facility: basic background info, rating services & staff, involvement in treatment, facility environment and perceived outcomes.	Third Party
Mental Health & Addictions Emergency Department Common Assessment Tool (MH & A ED-CAT)	An initial assessment tool to screen patients admitted to Emergency Departments, who may be suffering from Mental Health or Addictions disorders.	H.I. Next, Inc.
Emergency Department Common Assessment Tool (ED-CAT v2)	Version 2 of this assessment tool to screen patients admitted to Emergency Departments, who may be suffering from Mental Health or Addictions disorders.	H.I. Next, Inc.
Metabolic Health Monitor	Clients who have serious and persistent mental illness are at an increased risk for metabolic problems like diabetes, hypertension, heart disease and cholesterol due to the effects of antipsychotic medications, high rates of substance use, and issues relating to healthy eating and physical activity. Assessment identifies clients who have established metabolic problems and those at risk for developing Metabolic Syndrome.	H.I. Next, Inc., / Third Party
Modified New Hampshire - Dartmouth Family Resource Interview	This is an assessment to be filled out by family members to gauge the impact of the client on their family members (mentally, physically, emotionally and financially).	Third Party
Moses Cone Initial Assessment	Intake assessment to collect standard demographic, insurance, chief complaint, behavioral health, clinical history, ADL, physical, medication, risks, diagnosis and referral information.	Third Party
Multnomah Community Ability Scale (MCAS)	Assesses impairments and abilities among individuals with severe mental illness living in the community. The measure assesses how the person has been doing, on average, for the past three months.	Third Party
New York State Clinical Records Initiative (NYSCRI) Adult Comprehensive Tool v 2.0	Assess each item for the Individual's ability to complete the task with or without assistance.	Third Party
New York State Clinical Records Initiative (NYSCRI) Mental Status Exam	Form may be used as an alternative to the Mental Status narrative in Assessment documents.	Third Party

Assessment Tool	Description	Ownership
Neuropsychiatric Inventory - Nursing Home Version (NPI-NH)	Characterizes the psychopathology of patients with dementia. The NPI: Nursing Home Version (NPI/NH) was developed for use in extended care to facilitate caring for residents with dementia.	Third Party
Common Assessment 2.0	A standardized, consumer-led, decision-making tool that assists with mental health recovery. It identifies individual needs, helps match those needs to existing services and helps identify service gaps. Aggregate data derived from OCAN has the potential to inform organizational, regional and provincial level planning and decision making that is consistent with a recovery approach.	Third Party
Patient Health Questionnaire (PHQ-2)	<p>The PHQ-2 inquires about the frequency of depressed mood and anhedonia over the past two weeks. The PHQ-2 includes the first two items of the PHQ-9.</p> <ul style="list-style-type: none"> - The purpose of the PHQ-2 is not to establish a diagnosis or to monitor depression severity, but rather to screen for depression in a “first step” approach. - Patients who screen positive should be further evaluated with the PHQ-9 to determine whether they meet criteria for a depressive disorder. 	H.I. Next, Inc.
Patient Health Questionnaire (PHQ-9)	This brief self-assessment is used to quickly assess existence and severity of a depressive disorder.	Third Party
Post Traumatic Stress Disorder (PTSD)	This is an easily administered self-report rating scale for assessing the 17 DSM-IV symptoms of PTSD.	Third Party
PDSQ (Psychiatric Diagnostic Screening Questionnaire)	This brief self-report instrument screens for the DSM-IV Axis I disorders most commonly encountered among individuals 18 years of age and older, in medical and outpatient mental health settings	Third Party
Psychosocial Intake Assessment	Psychosocial Intake Assessment. Captures reason for seeking treatment, health information and history, mental health history and risk, substance use, legal information, interpersonal and social factors, living situation, and other considerations.	Third Party
Psychosocial Rehabilitation Tool Kit (PSR Tool Kit)	Collects reliable data that can help psychosocial rehabilitation programs to accurately describe their members' characteristics and psychosocial status and to evaluate the effectiveness of their interventions.	Third Party
Referral Info Questionnaire	Collects reason for referral, suicidal/aggressive/abuse behaviours, criminal involvement.	Third Party
Reiss Screen for Maladaptive Behaviour	Screens for mental health problems (dual diagnosis) in persons with mental retardation using information supplied by caretakers, teachers, work, supervisors, or parents. Raters indicate the extent to which each of 36 carefully defined symptoms of psychiatric disorder are no problem, a problem, or a major problem.	Third Party

Assessment Tool	Description	Ownership
Resident Assessment Instrument - Community Mental Health (RAI-CMH)	An adaptation of the RAI-MH (for in-patient mental health) to community-based individuals with a broad range of mental and physical health needs.	Third Party
Resident Assessment Instrument - Emergency Screener for Psychiatry (RAI-ESP)	Developed to serve as a comprehensive assessment instrument for adults in the emergency room.	Third Party
Resident Assessment Instrument - Mental Health (RAI-MH)	Developed to serve as a comprehensive assessment instrument for adults in inpatient mental health beds including acute, forensic, long stay and geriatric psychiatry.	Third Party
Restraint Events Tool	Tracks the use of restraints (chemical and mechanical) on clients - start and end times and dates.	Third Party
Signs of Depression: SIGECAPS	Depression screening	Public Domain
Simpson Angus Scale (SAS)	Evaluates the presence and severity of parkinsonian symptomatology.	Third Party
Summary Lifetime Diagnosis Checklist (KSADS-PL)	The K-SADS-PL is a semi-structured diagnostic interview designed to assess current and past episodes of psychopathology in children and adolescents according to DSM-III-R and DSM-IV criteria.	Third Party
Toronto Brief Inventory of Cognition (TBIC)	Selects appropriate treatment targets and functional treatment goals to determine which skills are impaired and may be appropriate for intervention.	Third Party
Young Mania Rating Scale	An eleven-item, multiple-choice diagnostic questionnaire used to measure the severity of manic episodes in patients. A severity rating is assigned to each of the items, based on the patient's subjective report of his or her condition over the previous forty-eight hours and the clinician's behavioral observations during the interview, with the emphasis on the latter.	Third Party
Addictions		
ADAT Tool Suite (Ontario)	Suite of addictions assessments. Includes: Adverse Consequences, BASIS-32, DHQ, DTCQ-8A & 8D, SOCRATES 8A & 8D, PSS, TEQ. OEM fees depend on location of use.	Third Party
ADAT Tool Suite (Ontario)	Suite of addictions assessments. Includes: Adverse Consequences, BASIS-32, DHQ, DTCQ-8A & 8D, SOCRATES 8A & 8D, PSS, TEQ. OEM fees depend on location of use.	Third Party

Assessment Tool	Description	Ownership
ADAT Tool Suite (Non-Ontario)	Suite of addictions assessments. Includes: Adverse Consequences, DHQ, DTCQ-8A & 8D, SOCRATES 8A & 8D, PSS, TEQ. BASIS-32 not included outside of Ontario.	Third Party
Addictions Assessment Instrument	Collects information regarding substance abuse.	Third Party
Addiction Non-residential Care Survey	Collects information regarding client's experience at a facility: basic background info, rating services & staff, involvement in treatment, facility environment and perceived outcomes.	Third Party
Addictions Residential Care Survey	Collects information regarding client's stay at a facility: basic background info, rating service & staff, involvement in treatment, feedback about unit, and perceived outcomes.	Third Party
Adult Addiction Severity Index (ASI) Lite	Assesses seven potential problem areas: Medical, Employment/Support Status, Alcohol, Drug, Legal, Family/Social, and Psychological.	Third Party
Adverse Consequences of Substance Abuse	Develops a comprehensive overall clinical profile of the client's substance use for use in developing an effective treatment plan. It was developed to aid in determining the level of functioning in 3 main areas: medical/psychiatric, emotional/behavioral, barriers and resources.	Third Party
Alcohol Use Disorders Identification Test (AUDIT-10)	Monitors harmful alcohol consumption among high-risk groups, including young people.	Third Party
Alcohol Use Scale & Drug Use Scale (AUSDUS)	Rates client's use of alcohol and use of drugs over the past 6 months (ranging from abstinent to dependence with institutionalization).	Third Party
Clinical Assessment Addiction Program (short form)	Overall assessment for entry into substance abuse/addictions programs.	Third Party
Drug Abuse Screening Test (DAST-10)	A self-report instrument for clinical screening and treatment evaluation about the patients' potential involvement with drugs excluding alcohol and tobacco during the past 12 months.	Third Party
CAGE	Brief questionnaire for detection of alcoholism, usually directed "have you ever" but may be focused to delineate past or present.	Third Party

Assessment Tool	Description	Ownership
Canadian Problem Gambling Index	A new, more meaningful measure of problem gambling for use in general population surveys, one that reflects a more holistic view of gambling and places it in a more social context.	Third Party
DATIS Record (DATIS)	Assessments that correspond to the DATIS elements that are collected by Catalyst. These tools allow organizations to enter their data directly into TREAT and TREAT will send the data to DATIS for collection.	H.I. Next, Inc.
Drug Taking Confidence Questionnaire for Alcohol (DTCQ-8A)	Measures alcohol-related self-efficacy (a person's perception of their ability to resist alcohol/drugs in situations shown to be high risk for substance use).	Third Party
Drug Taking Confidence Questionnaire for Drugs (DTCQ-8D)	Measures drug-related self-efficacy (a person's perception of their ability to resist alcohol/drugs in situations shown to be high risk for substance use)	Third Party
Fagerstrom Test for Nicotine Dependence	A short, convenient self-report measure of dependency on nicotine	Third Party
Modified Simple Screening Instrument for Substance Abuse (MSSI-SA)	A screener designed to measure the following domains: substance consumption, preoccupation and loss of control, adverse consequences, problem recognition, and tolerance withdrawal.	Third Party
New York State Clinical Records Initiative Substance Abuse Supplement (NYSCRI-SA)	A set of standardized, compliant and integrated clinical case records forms. Designed to be used on a voluntary basis for local licensed non-inpatient programs in New York State. This is the substance abuse supplement only.	Third Party
Perceived Social Support (PSS)	Measures the client's strengths and needs for his/her "Recovery Environment".	Third Party
Problem Gambling (Clinical Assessment Problem Gambling Service)	This tool collects a wide variety of information (both free text and structured questions) on gambling activities and impact on the client.	Third Party
Problem Gambling Severity Index (PGSI)	The PGSI is an abbreviated version of the original tool called the Canadian Problem Gambling Index, consisting of 9 items rather than 31. Clients can use it as a self-assessment tool, or you can use it as part of your screening process.	Third Party
Psychoactive Drug History Questionnaire (DHQ)	Developed to meet the need for a brief but comprehensive history of drug and alcohol use. Used as a tool in helping client and therapist to determine the most effective treatment/action plan for the client's recovery.	Third Party

Assessment Tool	Description	Ownership
Research Institute on Addictions Self Inventory (RAISI)	Consists of 52 items and covers specific risk factors as well as family history associated with alcohol and drugs.	Third Party
Stages of Change Readiness & Treatment Eagerness Scale (SOCRATES-8A)	Assesses “readiness to change” for alcohol use.	Public domain
Stages of Change Readiness and Treatment Eagerness Scale (Drugs) (SOCRATES-8D)	Assesses “readiness to change” for drug use.	Public domain
The Cigarette Dependence Scale	Measures cigarette dependence based on varied conceptualizations and definitions of dependence with the exception of tolerance.	Third Party
Treatment Entry Questionnaire (TEQ)	Provides information on the different reasons that clients enter substance abuse treatment.	Public domain
Community Support		
Community Health Assessment (InterRAI-CHA)	The interRAI CHA is an instrument intended for use in the assessment of adults living in the community and a variety of residential care settings. The tool is a modular instrument that contains a basic core assessment and the following four supplements: functional, assisted living, mental health, and deafblind. The tool assess client needs in the following domains: Cognition, Communication and vision, Mood, Psychosocial Well-Being, Functional Status, Continence, Disease Diagnosis, Health Conditions, Oral and Nutritional Status, Medications, Treatment and Procedures, Social Relationships, Environment. These tools reduce duplication of assessments within the circle of care by sharing information and further facilitate inter-agency communication through a common language based on recognized data standards. The assessor is able to obtain a holistic view of the client and assist them in accessing the most appropriate available services based on their needs.	Third Party

Assessment Tool	Description	Ownership
Community Health Assessment Functional Supplement (InterRAI CHA-FS)	The interRAI CHA Functional Supplement (interRAI CHA-FS) is an instrument intended for use in the assessment of adults living in the community and a variety of residential care settings. The functional supplement assessment is required if it has been triggered within the interRAI CHA assessment. The tool assesses client needs in the following domains: Cognition, Mood and Behaviour, Functional Status, Continence, Disease Diagnoses, Health Conditions, Oral and Nutritional Status, Skin Condition, Medications, Treatments and Procedures, Responsibility, Social Relations, Environment Assessment, Discharge Potential and Overall Status.	Third Party
Community Health Assessment Mental Health Supplement (InterRAI CHA-MH)	The interRAI CHA Mental Health Supplement is an instrument intended for use in the mental health assessment of adults living in the community and a variety of residential care settings. Unlike other supplements for the CHA software, this supplement is optional if triggered within the interRAI CHA assessment. This tool assesses client needs in the following domains: Mental health service history, Mental status indicators, Substance use or excessive behavior, Harm to self and others, Behavior, Stress and trauma, Medications, Social relations	Third Party
Community Health Assessment Preliminary Screener (InterRAI-PS)	The Preliminary Screener serves as the intake assessment tool within the Community Support Services (CSS) sector. The Preliminary Screener only includes the minimum number of information items needed in order to stratify clients into one of two groups: those persons who are likely to benefit from a more detailed assessment, and those who will not.	Third Party
Clinical Process		
Adverse Events	Identifies any adverse experiences that emerge during treatment.	Third Party
Clinical Institute Withdrawal Assessment of Alcohol Scale, Revised (CIWA_ArTool)	A shortened 10-item scale for clinical quantization of the severity of the alcohol withdrawal syndrome has been developed. This scale offers an increase in efficiency while at the same time retaining clinical usefulness, validity and reliability. It can be incorporated into the usual clinical care of patients undergoing alcohol withdrawal and into clinical drug trials of alcohol withdrawal.	Third Party

Assessment Tool	Description	Ownership
Clinician Report on Progress (CROP)	Collects the clinician's overview of a patient's progress during treatment.	Third Party
Concomitant Treatment	Lists the medications or therapies that a patient is on together with the dose, session frequency, and the start and end date.	Third Party
Compliance (Study Medication Record)	Reports on a patient's compliance with clinical advice and medication.	Third Party
Crisis Plan	6-item planning tool including possible risks, coping strategies and recommended approaches.	Third Party
Customer Service Clinical Assessment	Collects caller information for call centers and registers complaints.	Third Party
General Assessment		
Alternate Level of Care Tool	Assesses housing and other support needs for discharge to occur for clients declared ALC.	Third Party
Berg Balance Scale	The Berg Balance Scale is used by physiotherapists and other health care professionals to determine the functional mobility of an individual.	Public Domain
Body Mass Index (BMI)	A screening tool to identify possible weight problems for individuals based on their weight and height.	H.I. Next, Inc./ Third Party
Braden Scale for Predicting Pressure Sore Risk	The purpose of the scale is to help health professionals assess a patient's risk of developing a pressure ulcer.	Public Domain
Burden Scale for Family Caregivers	Assess family caregivers for fatigue and overall mental health.	Public Domain
Chronic Pain Assessment and Monitoring in the	Assesses and monitors chronic pain for clients who are cognitively impaired.	Third Party

Assessment Tool	Description	Ownership
Cognitively Impaired Client		
Common Admission and Discharge Tools (Acute Care)	Admission intake and Discharge forms for Inpatient Acute Care settings. Embeds the Ontario Ministry of Health's Health Outcomes for Better Information and Care (HOBIC) collected measures for Acute Care. Includes a functional assessment, evaluation of patient's ability to track and manage symptoms and care, along with a medical history. Based on the Central East LHIN standard Admission and Discharge forms and built in collaboration with 6 small Acute Care hospitals across Ontario.	Third Party
Emergency Department Home Care Tracking Tool	Used as part of a research study involving the Emergency Department Screener to track patients 90 days after their admittance to the ED.	Third Party
Emergency Department Hospital Tracking Tool	Used as part of a research study involving the Emergency Department Screener to track patients 90 days after their admittance to the ED.	Third Party
Emergency Department Screening Form	Research tool used to identify elderly persons with complex health needs in the Emergency Department; and to improve coordination between home care agencies and acute hospitals with regards to referrals; and to trigger a specialized geriatric intervention for frail elderly persons at risk of negative outcomes when admitted.	Third Party
Falls Risk Assessment	This assessment identifies client's risk for falls.	Third Party
Family Burden (Modified New Hampshire - Dartmouth Family Resource Interview)	Aids in determining the resources that a patient's family invests in a patient's care.	Third Party
Functional Independence Measure (FIM)	Assess physical and cognitive disability. This scale focuses on the burden of care - that is, the level of disability indicating the burden of caring for them. This assessment is used to report to the National Rehabilitation Reporting System (NRS) in Canada.	Third Party

Assessment Tool	Description	Ownership
General Health Assessment for Nursing	General Health Assessment for nursing program. Includes current and historical health	Third Party
GiiC Persistent Pain - History and Physical Findings	Assesses persistent pain in elderly clients.	Third Party
Health Home Supplementary Assessment	Health Home Supplementary Assessment	Third Party
History and Physical Tool (H&P Tool)	To provide a uniform system for recording a history and physical for all patients upon admission.	Third Party
HOBIC Measures - Acute Care (HOBIC AC)	Nursing outcomes assessments for Acute Care settings. The assessment evaluates: functional status/activities of daily living, symptom status, safety outcomes, and therapeutic self-care (readiness for discharge).	Third Party
HOBIC Measures - Complex Continuing Care (HOBIC CCC)	Nursing outcomes assessments for Complex Continuing Care settings. The assessment evaluates: functional status/activities of daily living, symptom status, and safety outcomes.	Third Party
HOBIC Measures - Home Care (HOBIC HC)	Address the client's physical functioning in routine personal activities of daily life, for example, dressing, eating, etc.	Third Party
Hospitalization History	Documents a client's hospitalization history. It collects information such as the hospital name, date of admission and discharge, and reason for admission.	Third Party
Hurt, Insult, Threaten and Scream (HITS) Assessment Tool	A short domestic violence screening tool for use in a family practice setting.	Third Party
Katz Index of Independence in Activities of Daily Living (ADL)	Measures the physical functioning dependence of chronically ill patients and the elderly. It can be used to describe the severity of chronic illness, to evaluate the treatment effectiveness and to predict the course of illness.	Third Party

Assessment Tool	Description	Ownership
Lower Extremity Functional Scale	Measures "patients' initial function, ongoing progress, and outcome" for a wide range of lower-extremity conditions	Public Domain
Mayo Portland Adaptability Inventory - Version 4 (MPAI-4)	Evaluation of people during the post-acute period following acquired brain injury (ABI), and to assist in the evaluation of rehabilitation programs designed to serve them.	Third Party
Morisky Medication Adherence Scale (MMAS)	Measures specific behaviors to help assist the patient in self-identifying difficulties they may be experiencing concerning their medication-taking (adherence) behavior.	Third Party
Monthly/Visit Weight Tool	Assessment tool linked with the Metabolic Health Monitor to track a client's weight.	Third Party
National Rehabilitation Reporting System Tool (NRS)	The National Rehabilitation Reporting System (NRS) contains client data collected from participating adult inpatient rehabilitation facilities and programs across Canada.	Third Party
Nutrition Assessment	Assess client's diet, nutrition and basic lab values to determine if nutrition related interventions are required.	Third Party
Occupational Therapy Hospital Pre-Discharge Assessment	This assessment evaluates a client's mental health, home environment, support system etc. prior to being discharged from hospital.	Third Party
Occupational Therapy Mental Health Assessment	Assess client's mental health, social network, self-care etc.	Third Party
Occupational Therapy Physical Medicine & Geriatric Assessment	Comprehensive assessment administered by Occupational Therapists to determine client's baseline needs.	Third Party
Physical Assessment Tool	Collects results of physical assessments done on patients.	Third Party
Physiotherapy Assessment	Client assessment form, including range of motion, environment, medical history etc.	Third Party

Assessment Tool	Description	Ownership
Quality of Life Enjoyment & Satisfaction Questionnaire (QLESQ)	Assessment of the degree of enjoyment and satisfaction in various areas of daily functioning.	Third Party
Quality of Life Scale (QLS)	Designed as a measure of deficit symptoms, rather than a general index of quality of life. This scale features substantial correlations with indices of negative symptoms.	Third Party
RAI-Minimum Data Set 2.0 (RAI-MDS 2.0)	Used for the recording of CCRS data elements for submission to the Canadian Institute for Health Information (CIHI).	Third Party
Referral Intake Form (RIF)	Intake form covering all medical, mental, family and physical history, environment, daily living, diagnosis, referral and current medications information.	Third Party
Report on Service Utilization – Face to Face (ROSUF)	Evaluates use of health care services.	Third Party
Report of Service Utilization – Telephone	Evaluates use of health care services.	Third Party
Roland Morris Low Back Pain and Disability Questionnaire (RMQ)	A self-administered disability questionnaire which measures levels of disability.	Public Domain
SAFER Home	This assessment identifies potential safety concerns in the client's home.	Third Party
Social & Occupational Functioning Assessment Scale (SOFAS)	Assesses client's level of social and occupational functioning.	Third Party
THR/ TKR Admission/ Discharge Assessment	Assesses client's with total hip replacement and total knee replacement before and after surgery. Measures pain, range of motion etc.	Third Party

Assessment Tool	Description	Ownership
Tinetti Balance Assessment Tool (includes Gait section)	This assessment measures a patient's gait and balance and their ability to perform specific tasks.	Third Party
Transfer and Lift Assessment Tool	This assessment determines whether the client requires a transfer or lift and type of equipment needed.	Third Party
Vitals Assessment	Brief assessment to capture client's Vitals data, including Blood Pressure, heart rate, temperature, respiratory rate and BMI.	H.I. Next, Inc.
Walker Evaluation & Final Review	Evaluates type of walker required by client based on their environment. Final Review assesses whether walker that was delivered to client meets their requirement and is adjusted for their environment and needs.	Third Party
Wheelchair Final Adjustments and Review	Assesses whether wheelchair that was delivered to client meets their requirement and is adjusted for their environment and needs.	Third Party
Wheelchair Seating Evaluation	Evaluates wheelchair seating requirement	Third Party
Wheelchair Trial Record	Records model and features of the wheelchair client is testing. The occupational therapist will record observations recommendations.	Third Party
Infection Control		
Blood / Body Fluid Exposure Surveillance Record	Surveillance tool that tracks exposure to blood or bodily fluids via a needle or other sharp object. Tracks the blood work following the incident.	Third Party
Communicable Diseases Information Tool	Probes possible diagnosis, treatment and immunity of common communicable diseases.	Third Party

Assessment Tool	Description	Ownership
Infectious and Communicable Diseases	Tracks affected groups or individuals.	Third Party
Influenza A (H1N1) Screening Tool	Screens visitors with regards to H1N1 - where they have visited, any contact with H1N1, and if they are showing any symptoms.	Third Party
Influenza Vaccination Screening Tool (Flu shot screening)	Collects influenza vaccination information such as basic vaccine history, allergies, and knowledge of vaccination process.	Third Party
Needlestick And Sharp Object Injury Report	Incident reporting tool for needlesticks and other sharp object injuries.	Public Domain
Respiratory Illness Surveillance Tool	Collects information on clients or staff who have a respiratory illness including symptoms, clinical findings, contact with affected people or sites.	Third Party
Severe Acute Respiratory Syndrome Screening Tool (SARS)	Screens visitors with regards to SARS - where they have visited, any contact with SARS, and if they are showing any symptoms.	Third Party
Tuberculosis (Mantoux) Screening Tool	Screens for individuals who have, have had or come in contact with anyone has had tuberculosis.	Third Party
Vaccination Information Tool	Records a client's vaccination information and history for common diseases such as Influenza, Twinrix, MMR, Polio, etc.	Public Domain
Miscellaneous		
CCB Involvement	This is a simple form to track a client's involvement (trial date, attendees, and outcome) with the Consent and Capacity Board of Ontario.	Public Domain

Assessment Tool	Description	Ownership
Legal Involvement	Tracks information on involvement with the legal system such as type of involvement (felony arrest/conviction, misdemeanor arrest/conviction, parole/probation information, etc.), date and details.	Third Party
Staff Pre - Placement Tool	Determines staff placement - collects information like exposure to allergens/toxins, physical ability, allergies, immunization history.	Third Party
Study Termination – Acute Phase	Identifies the primary reasons behind a subject’s withdrawal from a clinical study during the acute phase.	Third Party
Study Termination – Continuation Phase	Identifies the primary reasons behind a subject’s withdrawal from a clinical study during the continuation phase.	Third Party